Answer Plot®
CORN SILAGE
YIELD REPORT 2026



Date: 10/22/2026 Trial: S-095 Location: **Shawano-WI**

Planting Date: 05/11/2026 Harvest Date: 09/20/2026 Irrigation: NO

Product	Yield	Moisture	Milk/Acre	Milk/Ton	NDFD	NDF	Starch	CP	IVD	TDN
CP3595VT4P/RIB	39.94	63.16	45198.24	3770.43	52.76	36.16	39.47	6.56	80.92	77.4
DKC096-96RIB	38.43	63.83	43168.23	3743.07	52.13	36.45	38.78	6.4	81	77
CP3790VT2P/RIB	37.05	66.24	40406.9	3640.13	51.37	38.93	36.43	6.46	80	75.67
P98125PCE	36.93	65.94	41142.47	3717.63	52.45	37.27	37.54	6.77	80.45	76.73
DKC095-57RIB	36.88	63.97	40845.84	3684.03	51.42	37.5	38.74	6.33	80.72	76.2
DKC098-55RIB	36.85	64.14	41330.17	3734.2	52.72	37.13	37.5	6.55	80.42	76.97
DKC097-51RIB	36.31	63.56	40582.47	3734.6	52.42	36.82	39.36	6.32	80.7	76.93
NK9771-DV	35.81	64.66	40018.9	3716.97	52.24	37.22	37.85	6.87	80.56	76.7
NK9501-DS	35.52	65.52	39527.7	3717.3	52.51	37.13	36.58	6.99	80.51	76.73
B94M64V	35.48	64.22	39523	3716.27	52.56	37.59	37.47	6.53	80.24	76.73
NK9231-AA	35.04	62.58	38774.87	3705	52.04	37.54	38.66	6.75	80.46	76.53
B96M56V	34.76	64.02	38978.63	3747.17	52.8	37.06	37.81	6.65	80.43	77.13
B95D68PCE	34.61	63.27	39078.4	3757.27	52.93	36.67	38.87	6.59	80.59	77.27
CP3330aVT2P/RIB	34.57	63.56	38732.5	3735.97	51.99	36.64	38.75	6.69	80.95	76.9
NK9802-DSV	34.35	66.95	37787.93	3668.4	52.13	38.2	35.91	6.96	80.09	76.1
CP3899VT2P/RIB	34.27	64.17	37586.73	3661.13	51.47	38.39	37.96	6.31	80.24	75.93
B93D60V	34.14	61.64	38518.83	3764.47	52.75	36.51	39.36	6.66	80.74	77.33
P95819PCE	33.1	66.1	36592.07	3683.3	52.28	38.12	36.84	6.56	80.07	76.3
CP3519SS/RIB	32.84	64.93	35470.27	3606.4	50.69	38.9	37.75	6.44	80.28	75.17
P96760PCE	32.82	62.15	36851.43	3747.57	53.05	37.02	40.13	6.36	80.36	77.17
CP3715SSPRO/RIB	32.55	63.01	36263.03	3713.2	52.34	37.41	38.68	6.36	80.42	76.67

LSD (0.1)	1.6	1.4	1849.8	30.6	0.3	0.7	1.5	0.2	0.3	0.4
Mean	35.5	64	39577.2	3716.8	52.2	37.3	38.3	6.6	80.5	76.7
CV Error	3.19	1.6	3.42	0.6	0.43	1.29	2.84	2.62	0.3	0.37
TotalReps	3	3	3	3	3	3	3	3	3	3
Locations	1	1	1	1	1	1	1	1	1	1

WINFIELD® UNITED CROPLAN®

Learn more about our brands at **winfieldunited.com**

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2026 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



Date: 10/22/2026 Trial: S-100 Location: **Shawano-WI**

Planting Date: 05/11/2026 Harvest Date: 09/20/2026 Irrigation: NO

Product	Yield	Moisture	Milk/Acre	Milk/Ton	NDFD	NDF	Starch	CP	IVD	TDN
B03W64V	40.08	67.18	44322.93	3693.37	52.9	38.23	35.6	6.87	79.78	76.5
B01A60V	38.82	66.13	42704.47	3670.93	51.87	38.22	37.42	6.54	80.18	76.1
NK0025-DV	37.69	67.65	41436.63	3666.07	52.68	38	35.29	7.04	79.98	76.13
P01851PCE	37.62	66.3	41980.33	3714.23	52.52	37.41	37	6.81	80.35	76.7
B99A24V	37.44	65.41	41458.4	3689.2	52.55	37.72	35.79	6.82	80.18	76.4
CP4111VT4P/RIB	37.42	63.76	41584.57	3713.07	52.08	37.22	38.03	6.44	80.62	76.63
NK0001-DS	37.26	66.16	41443.93	3711.47	52.26	37.16	37.27	6.85	80.58	76.63
CP4129PCE/RA	37.2	67.15	41289.5	3708.4	53.06	37.89	37.2	6.76	79.9	76.7
CP3818VT4P/RIB	36.93	62.98	41354.73	3736.83	52.46	36.98	38.14	6.32	80.6	76.97
B99R54V	36.77	65.19	41283	3742.1	53.05	37.02	37.6	6.72	80.36	77.1
CP4024SSPRO/RIB	36.75	64.59	41252.07	3738.8	52.28	36.64	38.28	6.7	80.84	76.97
DKC101-35RIB	36.75	65.19	40980.37	3714.1	52.26	37.2	37.89	6.63	80.56	76.67
P00549PCE	36.02	65.51	40189.6	3720.67	52.42	37.31	38.08	6.52	80.44	76.77
CP3818TRE/RIB	35.97	63.6	39968.3	3711.9	51.91	37.2	37.87	6.33	80.69	76.6
DKC101-33RIB	35.96	65.19	40224.33	3724.27	52.36	36.93	38.32	6.62	80.66	76.8
DKC098-55RIB	35.82	64.3	40134.87	3738.97	52.55	36.76	38.05	6.55	80.68	77
DKC100-21RIB	35.66	65.51	39155.57	3671.53	51.55	37.94	37.31	6.47	80.44	76.07
P02405PCE	35.58	66.92	39740.87	3724.1	53.27	36.9	36.32	7.23	80.35	76.9
CP3852TRE/RIB	34.71	62.74	38487.97	3689.1	51.98	37.85	38.54	6.16	80.32	76.33
NK0252-D	33.39	66.2	37210.3	3708.53	52.28	37.2	37.4	7.03	80.55	76.6
NK9819-V	32.57	64.31	36740.33	3774.23	52.94	36.03	38.64	6.99	80.93	77.47

LSD (0.1)	2	0.9	2337	35.6	0.3	0.7	1.2	0.1	0.4	0.4
Mean	36.9	65.2	41148.9	3715.3	52.4	37.3	37.5	6.7	80.5	76.7
CV Error	3.88	0.97	4.16	0.7	0.43	1.44	2.25	1.49	0.35	0.41
TotalReps	3	3	3	3	3	3	3	3	3	3
Locations	1	1	1	1	1	1	1	1	1	1

WINFIELD® UNITED CROPLAN®

Learn more about our brands at **winfieldunited.com**

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2026 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



10/13/2026 SPT-08
Location: Shawano-WI

Planting Date:	05/11/2026	Harvest Date:	10/07/2026	Irrigation: NO

Variety	Yield	Moisture	TWT	$/Acre
B095EE	83.5	10.7	55.3	1001.88
NK08-Z4E3	80.8	11.1	56.4	969.24
NK09-V2E3	79.4	10.5	55.9	952.56
CP0926E	79.2	11.2	56.8	950.76
AG07XF4	79.2	11.3	56.1	950.64
P09Z79E	79.1	10.8	55.3	948.84
CP0940XF	78.5	10.8	56.5	942.24
NK08-R3XF	78.5	11.0	56.2	942.24
AG10XF4	78.3	10.5	55.9	939.60
P06Z90E	78.1	10.6	55.8	937.56
CP0820E	77.7	10.9	56.6	931.80
AG09XF3	75.3	10.4	56.6	903.36
B074EE	75.2	10.7	55.5	901.80
B054EE	74.5	11.0	55.2	894.24
XO 0917E	74.3	10.6	56.4	892.08
XO 0731E	72.6	10.8	55.9	870.60
XO 0806E	71.9	10.6	55.9	862.56
CP0740XF	66.8	11.3	55.7	801.24
B053EE	61.9	11.1	55.5	742.56
P09Z31E	56.9	11.1	55.0	682.68
LSD (0.1)	6.8	0.6	0.3	82.24
Mean	74.1	10.9	56	900.92
CV Error	6.76	3.67	0.4	6.76
TotalReps	3	3	3	3

WINFIELD UNITED CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2026 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



10/13/2026 SPT-12
Location: Shawano-WI

Planting Date:	05/11/2026	Harvest Date:	10/07/2026	Irrigation: NO

Variety	Yield	Moisture	TWT	$/Acre
XO 1372E	85.4	10.6	56.2	1024.32
NK13-Y4XF	83.7	11.3	56.6	1004.64
B095EE	81.3	10.4	55.1	975.84
NK11-U2XF	80.9	11.1	56.2	970.80
P13Z28E	80.7	10.7	55.3	968.40
B135EE	80.6	10.9	55.7	967.20
NK14-V3XF	80.3	10.4	55.7	963.00
P11Z72E	77.5	11.2	54.8	930.48
AG10XF4	77.3	10.7	56.1	927.24
CP1160E	76.7	10.5	56.3	920.16
NK11-A4E3	73.0	11.1	56.3	875.76
CP1127E	70.9	11.4	56.6	851.16
AG09XF3	70.1	11.4	56.5	841.20
CP1240XF	70.0	10.9	55.8	840.48
B116EE	68.7	11.0	55.3	823.92
AG14XF4	67.9	11.3	55.6	814.80
XO 1147E	67.1	10.9	56.1	804.60
CP1430E	67.0	11.5	56.0	804.48
XO 1446E	66.7	10.7	56.2	800.64
NK14-U5E3	65.9	11.6	56.0	790.20
AG12XF4	65.7	11.3	55.9	787.92
B144EE	65.1	10.6	55.8	781.08
XO 1207E	62.0	10.9	56.3	744.48
P09Z31E	43.6	10.6	55.2	523.20
LSD (0.1)	7.3	0.7	0.3	88.24
Mean	72.8	10.9	55.9	864.00
CV Error	5.92	3.55	0.31	5.92
TotalReps	2	2	2	2

WINFIELD UNITED CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2026 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



10/13/2026 SPT-16
Location: Shawano-WI

Planting Date:	05/11/2026	Harvest Date:	10/07/2026	Irrigation: NO

Variety	Yield	Moisture	TWT	$/Acre
P16Z25E	85.0	9.7	56.3	1019.64
B186EE	82.3	10.3	55.8	987.72
CP1620E	77.5	9.9	56.2	929.64
AG16XF5	77.4	10.3	56.8	928.56
P14Z08E	75.8	10.2	55.9	909.84
NK16-B4E3S	75.8	9.9	55.8	909.60
NK15-G9E3S	75.4	10.0	56.5	904.32
CP1627E	75.2	10.2	55.5	902.76
B135EE	74.9	9.9	56.0	898.32
XO 1776E	74.2	11.5	55.0	890.40
CP1540XF	73.0	10.3	56.8	876.48
XO 1632E	71.3	10.3	55.9	855.84
B155EE	70.6	10.1	55.4	847.08
B144EE	69.9	10.1	55.9	838.80
P17Z39E	68.3	10.0	56.0	819.84
CP1830E	68.0	10.7	56.1	815.52
AG14XF4	67.5	10.0	56.0	810.36
NK17-H1E3	66.9	10.0	55.5	803.04
CP1430E	66.6	10.3	55.9	799.56
XO 1822E	66.1	10.7	55.8	793.08
AG12XF4	64.3	9.9	56.0	771.12
XO 1837E	61.2	11.2	55.3	734.28
LSD (0.1)	8.5	0.4	0.3	102.35
Mean	72.2	10.2	56	865.72
CV Error	8.64	3.1	0.44	8.64
TotalReps	3	3	3	3

WINFIELD UNITED CROPLAN

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2026 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.